

AC 55

Cummins
Mecc Alte
P 602

ISO8528

GC) &-

SZUTEST

GC - \$\$%

CE

2000/14/EC

&\$\$\$\$%#

	400/230	55,00	44,00	50,00	40,00	Amp

fPGDE GC) &

fDF DŁ %\$! % %& GC \$(*"

Z&(

GC

Standard Specifications

Z


fl ! Z

Z

Z



ALTERNATOR



TRANSFER SWITCH

fPG \$\$# \$\$\\$ fl ! \$ Z

AC 55

Cummins
Mecc Alte
P 602

Manufacturer		Cummins
Model		S3,8-G6
	% \$\$: "# ") ' ž+\$' "
		Q%ž-\$< DQ
	L	3,800
	"	97 x 128
		17,5:1
fl # "ž	"# "	1500
fl "ž	L	11,00
	L	14,50
AbsorbedAirDischargeReSourceKey.Text	' # "	3,60
fl ' # "ž	' # "	82,00
	' # "	4,20
	° C	546,00
		12 V d.c.
	Load	%\$\$.I
	# "	+).I
).I
	12,80	9,50
		6,50

		Mecc Alte
		ECO 32-1L/4
	Hz	50
7 cg	"	50,00
		0,80
		3
	fl ž	400/230
Temperature	H	

		fl "ž		fl "ž	
AC 55	870,00	1780,00	950,00	1198,00	105,00
		fl "ž		fl "ž	
AK 30	1140	2466	957	1390	105

AC 55

Cummins
Mecc Alte
P 602

D * \$ & !



- 1 A U]b'gjh h g'X]gd'Um"
- 2 8]gd'UmgWc``Vi hcb"
- 3 DU[Yf]bZfa UhcbLVi hcb"
- 4 7ca a cb'U'Ufa 'jbX]Wlhcf"
- 5 Gjh h g'@98fj"
- 6 CdYfUh]cb'gYYW]b['Vi hcbg"

8G9ža cXY**\$&\$'5i hc'A U]bg: U]i fY'Wblfc`a cXi 'Y"
6UHfYfmVXUf[Yf']bdi h%, !*(j c'hžci hdi h''&+ž' J) '5 f&(U Ecf% ž 'J c'h) 5 fV&J ž
9a Yf[YbWngbcd'di g\ 'Vi hcb'UbX'Z gYg'Zf'Wblfc'WfW]rg"

7 ca dcB Ybkg']bglU'YX']b' g\ YYhgH'Y' YbWcgj fY'"D\cgd\UH'WYa]W'ždfY!WtUh]b['cZgH'Y' dfcj]XYg'Wffcg]cb
fYg]gjhUbhgj fZUW" Dc'nYgH'f'Wta dgcjH' dck XYf'hdWtUhZfa g'\][\ ['cgg'UbX'Yl'fYa Y'mXi fUVY'Zb]g\ " @cW_UVY
UbX' \]b[YX'dUbY' Xccf'dfcj]XYg'YUgmUWVgg'hc' 'Wta dcB Ybkg"

'7 cblfc`dUbY']g a ci bH'Y'cb'VUgYZfUa Y'k]h'gH'Y'gjhUbX" @cWUH'X'UhH'Y'f][\ hg]XY'cZH'Y' [YbYfUhcf'gYhfK 'Yb'mci
'cc'_UhH'Y'; Yb"GYH'Zca '5 H'fbUhcfL

H'Y' 8G9**\$&\$']g'U'gjhUbXUfX'Wblfc`a cXi 'Y'Zf'ci f'[YbYfUhcf'gYhg' i d'hc'&\$\$_J 5 'UbX'ih\Ug'VYYb'XYg][bYX'hc
gjhUhUbX'ghcd'X]YgY'UbX']Ug'[YbYfUhcf'gYhg' H'Y' 8G9**\$&\$' a cXi 'Y'\Ug'VYYb'XYg][bYX'hc' a cb]hcf[YbYfUhcf
ZfYi YbWzj c'hzWffYbhžYb[]b]Y'c] dfYggi fYzWtc'UbhHya dYfUh fY'fi bb]b[\ci fg'UbX'VUH'Yfmj c'hg"A cXi 'Y
a cb]hcf'g'Y' a U]bg'gi dd'mUbX'gk]W' c] Yf'hc' h'Y' [YbYfUhcf'k 'Yb'hc'Y'a U]bg'dck YfZ]g'" H'Y' 8G9**\$&\$' U'g
]bX]WUH'Y'g'cdYfUh]cbU'gjh h'g'UbX'ZU' h'WbX]hcbg'5i hca UH'W'mg' i hib['Xck b'hc'Y'; Yb"GYhUbX' []]b['hfi Y'Zfghi d
ZU' h'WbX]hcb'cZ; Yb"GYhZ]i fY" H'Y' @ 8 X]gd'Um]bX]WUH'Y' h'Y' ZU' h'

A]WcdfcWggcf'Wblfc`YX"
@ 7 8 X]gd'Uma U'Yg']bZfa Uh]cb'YUgmhc'fYUX"
(!)]bYz*(1 % & d]l Y'X]gd'Um'
5i hca Uh]W'mifUbzYfg VYh'k YYb'a U]bg' fil h'hm'tUbX' [YbYfUhcf'dck Yf'
A Ubi U'dfc[fUa a]b['cb'ZfcbhidUbY"
I gYf'ZfYbX'mgYh'i d'UbX'Vi hcb'Umci h'
F Ya ch'gjhH'
9j Ybh'c[]b['f' kg'ck]b['XUH'UbX'ha Y'
7 cblfc'g' Ghcd# YgYh'zA Ubi U'z5i hc'zHYgh'GhUfzVi hcbg'"5b'UXX]hcbU'di g\ 'Vi hcb'bYi h'c' h'Y' @ 7 8 X]gd'Um]g
i gYX'hc'gWc``hfc' [\ h'Y'a cXi 'Ygfa YH'f]b['X]gd'Um]

AC 55

Cummins
Mecc Alte
P 602

9B; -B9
 9b[]bY'gdYYX"
 C]`dfYggi fy"
 7cc'UbhH'a dYfUh fy"
 F i b H'a Y"
 6UH'Yfmj c`hg"
 7cbZ] i fUV'Y H'a]b["
 ; 9B 9F 5HCF
 J c`HU[Y f@#@@B@
 7 i ffYbh@%&@!@ E'
 : fYeI YbW@
 A 5-BG
 J c`HU[Y f@#@@B@
 : fYeI YbW@
 A Ujb@fYUXn@
 A Ujb@YbUV'YX"
 ; Yb"GYhYfYUXn@
 ; Yb"GYhYbUV'YX"

K 5F B-B;
 7 \Uf[Y'ZU]i fy"
 6UH'Yfm@ck #][\j c`HU[Y
 : U]`h`ghcd"
 @ck #][\ [YbYfUhcfj c`HU[Y
 I bXYf@cj Yf[YbYfUhcf ZYei YbW@
 Cj Yf# bXYf gdYYX"
 @ck c]`dfYggi fy"
 <] \ Wc'UbhH'a dYfUh fy"
 G< I H'8CK BG
 : U]`h`ghd"
 9a Yf[YbW@ghcd"
 @ck c]`dfYggi fy"
 <] \ Wc'UbhH'a dYfUh fy"
 Cj Yf# bXYf gdYYX"
 I bXYf@cj Yf[YbYfUhcf ZYei YbW@
 I bXYf@cj Yf[YbYfUhcfj c`HU[Y
 C]`dfYggi fy'gYbgcf cdYb"
 7cc'UbhH'a dYfUh fy'gYbgcf cdYb"
 9@97 HF -7 5@HF -D
 ; YbYfUhcfj YfW ffYbH

: 'YI JVY gYbgcf WbVY Wtbhfc`YX k]h H'a dYfUh fyž
 dfYggi fyŽdyfWbH[Y f@ Ufb]b[#g i H'ck b#Y'YMF]WU'lf]dE
 @cWU'gYH@b[dUfJa YHfg UbX a cb]hcf]b[Zca D7 h
 Wtbhfc`a cXl Y'k]h'1 G6 WbbYMFcb'f@ Ul '*' a H'


9YWJWU'GUZ@hm#9A 7 Wta dUH[V]]hm6G'9B '*\$-) \$
 9YWJWU'Vi gjBYgg'YeI]da YbH'
 6G 9B '*%\$!*& 9A 7 ja a i b]hmg@UbXufX"
 6G 9B '*%\$!*('9A 7 Ya]gg]cb g@UbXufX

'6UH'YfmWUf[Yf]g'a Ubi ZUW@ fyX k]h gk]MV]b[!a cXY'UbX'GA 8 H'VWbc`c[mUbx'ih\Ug\][\YZ@WYbW@'6UH'YfmWUf[Yf
 a cXY'gfici hdI hJ !=WUfUWYflghWgj YfmWcgY h`gei UfY'UbX'ci hdI hJg) ua dYfZ% ž J Zcf%&j c'hUbX +&Z J Zcf& J
 #bdI h%, !&* (j c'h5 7 " Dfc]bY & (\$) \Ug'Z `mci hdI hg\chWfW]hdfchW@cb'UbX'ihWbVY i gYX'Ug'UW ffYbhgcI fW"
 Dfc]bY %&\$ #& (\$) WUf[Yf'Ug\][\YZ@WYbW@'cb[Z@Z`ck ZU]i fy fUAYZ][\hk Y][\hUbX`ck \YuhfUX]UH'YX]b
 UW@fXUbW'k]h'1 bYUf'UHfbUhj Yg" H'Y WUf[Yf]g ZH'YX k]h'1 U'dfchW@cb'X]cXY'UW@cggi h'Y ci hdI h'7 cbbY@W@Uf[Y'ZU]
 fY'UmW@'VYH YYb dcg]hj Y'ci hdI hUbX'7: ci hdI h'Y H'YmUFY YeI]ddYX k]h'F: =ZH'Yf'hc fYXi W'Y'YMF]WU'bc]gY fUX]UH'YX
 Zca H'Y XYj]W"; Uj Ub]W'm]gc'UH'X]bdi hUbX'ci hdI hhd]W'm(_Zcf\][\fy]UV]]hm

AC 55

Cummins
Mecc Alte
P 602

5? " \$!



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Base frame -fuel tank.
- 6 Lockable, large doors on each side.
- 7 Lifting Points

&\$\$\$\$%# # " "

fl "t	"	957
fl "t	"	2466
fl "t	"	1390
	L	105